

Images, Links, & Tables

Session 3

**<element
attribute="value"></element>**

`<element
attribute="value"></element>`

```
<element  
attribute="value"></element>
```

```
<element attribute="value"  
attribute="value" attribute="value"  
attribute="value" attribute="value"  
attribute="value" attribute="value"  
attribute="value"></element>
```

Images

``

HTML

XHTML

src

alt

longdesc

name

height

width

usemap

ismap

src – path to image

alt – short

description

longdesc – long description

name

height – override height

width – override width

usemap - use client-side image map

ismap - use server side image map

```

```

Paths

URLs decoded

```

```

filename



```

```

```

```

file extension



```

```



```

```

from the root



```

```

```

```



```

```

from the root



```

```

```


```

in the gr folder



```

```



```

```

up one directory



```

```

```


```



in the gr folder

```

```



```

```

```


```

GO!


Image Practice

Links



`<a>`



<http://www.mysite.com/index.html>




<http://www.google.com>




<http://www.mysite.com/index.html>


<http://www.google.com>




<http://www.mysite.com/index.html>



<http://www.google.com>



<http://www.mysite.com/index.html>



<http://www.google.com>

`<a>`

anchor

href

title

href

hyperlink reference

title

advisory information for the
element

```
<a href="index.html" title="Jeff's Homepage">Home</a>
```

opening tag



```
<a href="index.html" title="Jeff's Homepage">Home</a>
```



closing tag

attributes



```
<a href="index.html" title="Jeff's Homepage">Home</a>
```

advisory info



```
<a href="index.html" title="Jeff's Homepage">Home</a>
```

directory path



```
<a href="index.html" title="Jeff's Homepage">Home</a>
```

the text that shows up on the page



Home

You can make anything a link

**You can link to almost
anything**

```
<a href="index.html" title="View a  
larger version of this picture">  
      
</a>
```

Relative Links

```
<a href="../../gr/me.jpg" title="A Photo of Me">Me</a>
```

Absolute Links

```
<a href="http://mysite.com/gr/me.jpg" title="A Photo of Me">Me</a>
```

External Links

```
<a href="http://google.com" title="A search engine">Google</a>
```

Linking within the same page

Example

<h1>Welcome to my site</h1>

<p>Pellentesque habitant morbi tristique senectus et netus et malesuada fames ac turpis egestas. Vestibulum tortor quam, feugiat vitae, ultricies eget, tempor sit amet, ante. Donec eu libero sit amet quam egestas semper. Aenean ultricies mi vitae est. Mauris placerat eleifend leo. Quisque sit amet est et sapien ullamcorper pharetra. Vestibulum erat wisi, condimentum sed, commodo vitae, ornare sit amet, wisi. Aenean fermentum, elit eget tincidunt condimentum, eros ipsum rutrum orci, sagittis tempus lacus enim ac dui. Donec non enim in turpis pulvinar facilisis. Ut felis. Praesent dapibus, neque id cursus faucibus, tortor neque egestas augue, eu vulputate magna eros eu erat. Aliquam erat volutpat. Nam dui mi, tincidunt quis, accumsan porttitor, facilisis luctus, metus</p>

Go to the top

```
<h1 id="top">Welcome to my site</h1>
```

```
<p>Pellentesque habitant morbi tristique senectus  
et netus et malesuada fames ac turpis egestas.  
Vestibulum tortor quam, feugiat vitae, ultricies  
 eget, tempor sit amet, ante. Donec eu libero sit  
amet quam egestas semper. Aenean ultricies mi  
vitae est. Mauris placerat eleifend leo. Quisque  
sit amet est et sapien ullamcorper pharetra.  
Vestibulum erat wisi, condimentum sed, commodo  
vitae, ornare sit amet, wisi. Aenean fermentum,  
elit eget tincidunt condimentum, eros ipsum  
rutrum orci, sagittis tempus lacus enim ac dui.  
Donec non enim in turpis pulvinar facilisis. Ut  
felis. Praesent dapibus, neque id cursus  
faucibus, tortor neque egestas augue, eu  
vulputate magna eros eu erat. Aliquam erat  
volutpat. Nam dui mi, tincidunt quis, accumsan  
porttitor, facilisis luctus, metus</p>
```

```
<a href="#top" title="Go to the top">Go to the top</a>
```

```
<h1 id="top">Welcome to my site</h1>
```

```
<p>Pellentesque habitant morbi tristique senectus et  
netus et malesuada fames ac turpis egestas.  
Vestibulum tortor quam, feugiat vitae, ultricies  
eget, tempor sit amet, ante. Donec eu libero sit amet  
quam egestas semper. Aenean ultricies mi vitae est.  
Mauris placerat eleifend leo. Quisque sit amet est et  
sapien ullamcorper pharetra. Vestibulum erat wisi,  
condimentum sed, commodo vitae, ornare sit amet,  
wisi. Aenean fermentum, elit eget tincidunt  
condimentum, eros ipsum rutrum orci, sagittis tempus  
lacus enim ac dui. Donec non enim in turpis pulvinar  
facilisis. Ut felis. Praesent dapibus, neque id  
cursus faucibus, tortor neque egestas augue, eu  
vulputate magna eros eu erat. Aliquam erat volutpat.  
Nam dui mi, tincidunt quis, accumsan porttitor,  
facilisis luctus, metus</p>
```

```
<a href="#top" title="Go to the top">Go to the  
top</a>
```

Mailto Links

```
<a href="mailto:me@me.com" title="Email  
Me">Email Me</a>
```

```
<a href="me.html" title="Click Here">Click Here</a>
```



```
<a href="me.html" title="Click Here">Click Here</a>
```

<p>

This past summer I went
swimming in Portland, Maine

</p>

This past summer I went swimming in
Portland, Maine.

This past summer I went swimming in
Portland, Maine.

This past summer I went swimming in
Portland, Maine.

This past summer I went swimming in
Portland, Maine.

GO!

Link Practice

Tables

Are for tabular data

Vegetable prices in Darwin and Hobart

	Beans	Peas	Carrots	Tomatoes
Darwin				
Wholesale	\$1.00	\$1.25	\$1.20	\$1.00
Retail	\$2.00	\$3.00	\$1.80	\$1.60
Hobart				
Wholesale	\$1.20	\$1.30	\$1.00	\$0.80
Retail	\$1.60	\$2.00	\$2.00	\$1.50

Taken from <http://www.usability.com.au/resources/tables.cfm>

**Not as a layout
mechanism**

**Upcoming Events**

Saturday, August 12th 2006
EMS Day, 9am - 4pm


[Educ Request](#) [PR Request](#)

[SERVICES OF TRANSPORT](#)[UPCOMING EVENTS](#)[PICTURES VIDEO](#)[AIRCARE GEAR](#)[LANDING ZONE](#)[FLIGHT CREW](#)[AIRCRAFT](#)[LINKS](#)[HOME](#)**HOME>**

Welcome to the official website of PHI AirCare MedEvac 4 in beautiful Winchester, Virginia. We started our operations in November 2004 and have been flying high ever since. We are fortunate to respond to areas with a strong core of EMS, Fire Department, and Hospital facilities which makes our job both rewarding and enjoyable. We fly a Bell 412 aircraft capable of flying two patients. We do a mixture of scene and interfacility calls. Our staff is highly trained and operates 24/7 out of the Winchester Regional Airport. We have a strong outreach and education programs and the ride a long program is very active. We welcome you to participate in our events and on this website. Be safe and blue skies!

SERVICE AREA>

Our medevac unit is based out of Winchester, VA, from there we serve a 20 miles radius.



[See the National Map](#)

AirCare Medevac 4

615 Airport Rd. Suite 200
Winchester, VA 22602
Phone: (540) 667-0288
Fax: (540) 667-0350

Emergency Dispatch
(800) 258-8181

[Want to Ride Along?](#)[Questions](#)[Sign Our Guestbook](#)[View Our Guestbook](#)

Viewed **0** times



<td>

<td>

Upcoming Events

Saturday, August 12th 2006
 EMS Day, 9am - 4pm

<td>

<td> Educ Request <td> PR Request


- <td>
- <td> [SERVICES OF TRANSPORT](#)
- <td> [UPCOMING EVENTS](#)
- <td> [PICTURES VIDEO](#)
- <td> [AIRCARE GEAR](#)
- <td> [LANDING ZONE](#)
- <td> [FLIGHT CREW](#)
- <td> [AIRCRAFT](#)
- <td> [LINKS](#)
- <td> [HOME](#)

HOME>

Welcome to the official website of PHI AirCare MedEvac 4 in beautiful Winchester, Virginia. We started our operations in November 2004 and have been flying high ever since. We are fortunate to respond to areas with a strong core of EMS, Fire Department, and Hospital facilities which makes our job both rewarding and enjoyable. We fly a Bell 412 aircraft capable of flying two patients. We do a mixture of scene and interfacility calls. Our staff is highly trained and operates 24/7 out of the Winchester Regional Airport. We have a strong outreach and education programs and the ride a long program is very active. We welcome you to participate in our events and on this website. Be safe and blue skies!

SERVICE AREA>

Our medevac unit is based out of Winchester, VA, from there we serve a 20 miles radius.



See the National Map

<td>

<td> Want to Ride Along?

Questions

Sign Our Guestbook

View Our Guestbook

<td>

<td>

<td>

<td>

<td> Viewed **0** <td> times


<td>

AirCare Medevac 4
 615 Airport Rd. Suite 200
 Winchester, VA 22602
 Phone: (540) 667-0288
 Fax: (540) 667-0350
Emergency Dispatch
 (800) 258-8181



- CSS can be cached, table mark up cannot
- Accessibility issues
- Presentation is meshed within content
- Load time
- It's not tabular data

Columns



Rows



```
<table>  
</table>
```

```
<table border="1"  
  bordercolor="#000000">  
</table>
```

NOTE: This is just to illustrate our example; after we learn CSS never use these attributes (border & bordercolor) again

```
<table>  
  <tr>  
    <td>Table Data</td>  
  </tr>  
</table>
```

```
<table>
  <tr>
    <td>Table Data</td>
  </tr>
</table>
```

```
<table>
  <tr>
    <td><p>Cell 1</p></td>
    <td><p>Cell 2</p></td>
    <td><p>Cell 3</p></td>
    <td><p>Cell 4</p></td>
    <td><p>Cell 5</p></td>
  </tr>
</table>
```

```
<table>
  <tr>
    <td><p>Cell 1</p></td>
    <td><p>Cell 2</p></td>
    <td><p>Cell 3</p></td>
    <td><p>Cell 4</p></td>
    <td><p>Cell 5</p></td>
  </tr>
</table>
```

Multiple Rows

```
<table>
```

1 row

```
  <tr>
```

```
    <td><p>Table Data</p></td>
```

```
  </tr>
```

```
</table>
```

2 rows

```
<table>
  <tr>
    <td><p>Table Data</p></td>
  </tr>
  <tr>
    <td><p>Table Data</p></td>
  </tr>
</table>
```

3 rows

```
<table>
  <tr>
    <td><p>Table Data</p></td>
  </tr>
  <tr>
    <td><p>Table Data</p></td>
  </tr>
  <tr>
    <td><p>Table Data</p></td>
  </tr>
</table>
```

Row 1, Col 1	Row 1, Col 2	Row 1, Col 3	Row 1, Col 4
Row 2, Col 1	Row 2, Col 2	Row 2, Col 3	Row 2, Col 4
Row 3, Col 1	Row 3, Col 2	Row 3, Col 3	Row 3, Col 4

```
<table>
  <tr>
    <td><p>Row 1, Col 1</p></td>
    <td><p>Row 1, Col 2</p></td>
    <td><p>Row 1, Col 3</p></td>
    <td><p>Row 1, Col 4</p></td>
  </tr>
  <tr>
    <td><p>Row 2, Col 1</p></td>
    <td><p>Row 2, Col 2</p></td>
    <td><p>Row 2, Col 3</p></td>
    <td><p>Row 2, Col 4</p></td>
  </tr>
  <tr>
    <td><p>Row 3, Col 1</p></td>
    <td><p>Row 3, Col 2</p></td>
    <td><p>Row 3, Col 3</p></td>
    <td><p>Row 3, Col 4</p></td>
  </tr>
</table>
```

Table Headings

Vegetable prices in Darwin and Hobart

	Beans	Peas	Carrots	Tomatoes
Darwin				
Wholesale	\$1.00	\$1.25	\$1.20	\$1.00
Retail	\$2.00	\$3.00	\$1.80	\$1.60
Hobart				
Wholesale	\$1.20	\$1.30	\$1.00	\$0.80
Retail	\$1.60	\$2.00	\$2.00	\$1.50

Taken from <http://www.usability.com.au/resources/tables.cfm>

```
<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>
```

```
<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>
```

```
<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>
```

```
<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tbody>
    <tr>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>
```

Table Footers

```

<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td><p>Statistics</p></td>
      <td><p>taken</p></td>
      <td><p>from</p></td>
      <td><p>http://www.google.com</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>

```

...

```
</thead>
<tfoot>
  <tr>
    <td><p>Statistics</p></td>
    <td><p>taken</p></td>
    <td><p>from</p></td>
    <td><p>this site</p></td>
  </tr>
</tfoot>
<tbody>
```

...

Groupings

Example 1.8

Column Title	Column Title	Column Title	Column Title
Row 1, Col 1	Row 1, Col 2	Row 1, Col 3	Row 1, Col 4
Row 2, Col 1	Row 2, Col 2	Row 2, Col 3	Row 2, Col 4
Row 3, Col 1	Row 3, Col 2	Row 3, Col 3	Row 3, Col 4
Statistics	taken	from	this site

[All table examples](#)

Example 1.8

Column Title	Column Title	Column Title	Column Title
Row 1, Col 1	Row 1, Col 2	Row 1, Col 3	Row 1, Col 4
Row 2, Col 1	Row 2, Col 2	Row 2, Col 3	Row 2, Col 4
Row 3, Col 1	Row 3, Col 2	Row 3, Col 3	Row 3, Col 4
Statistics taken from this site			


[All table examples](#)

**Is this spanning
across rows or
columns?**

**How many rows or
columns is it
spanning?**

Example 1.8

Column Title	Column Title	Column Title	Column Title
Row 1 Col 1	Row 1 Col 2	Row 1 Col 3	Row 1 Col 4
Row 2 Col 1	Row 2 Col 2	Row 2 Col 3	Row 2 Col 4
Row 3 Col 1	Row 3 Col 2	Row 3 Col 3	Row 3 Col 4
Statistics taken from this site			



[All table examples](#)

...

```
</thead>
<tfoot>
  <tr>
    <td><p>Statistics</p></td>
    <td><p>taken</p></td>
    <td><p>from</p></td>
    <td><p>this site</p></td>
  </tr>
</tfoot>
<tbody>
```

...

...

```
</thead>
```

```
<tfoot>
```

```
<tr>
```

```
<td><p>Statistics taken from this  
site</p></td>
```

```
</tr>
```

```
</tfoot>
```

```
<tbody>
```

...

...

```
</thead>
<tfoot>
  <tr>
    <td colspan="4"><p>Statistics
taken from this site</p></td>
  </tr>
</tfoot>
<tbody>
```

...

Example 1.10

	Column Title	Column Title	Column Title	Column Title
2009	Row 1, Col 1	Row 1, Col 2	Row 1, Col 3	Row 1, Col 4
	Row 2, Col 1	Row 2, Col 2	Row 2, Col 3	Row 2, Col 4
	Row 3, Col 1	Row 3, Col 2	Row 3, Col 3	Row 3, Col 4
Statistics taken from this site				

[All table examples](#)

```
<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td colspan="4"><p>Statistics taken from this site</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>
```


```

<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td colspan="4"><p>Statistics taken from this site</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <td><p>2009</p></td>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>

```

```
<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td colspan="4"><p>Statistics taken from this site</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <td><p>2009</p></td>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>
```

Mismatch



```

<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td colspan="4"><p>Statistics taken from this site</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <td rowspan="3"><p>2009</p></td>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>

```

Example 1.10

	Column Title	Column Title	Column Title	Column Title
2009	Row 1, Col 1	Row 1, Col 2	Row 1, Col 3	Row 1, Col 4
	Row 2, Col 1	Row 2, Col 2	Row 2, Col 3	Row 2, Col 4
	Row 3, Col 1	Row 3, Col 2	Row 3, Col 3	Row 3, Col 4
Statistics taken from this site				

That should be a heading though, shouldn't it?

[All table examples](#)

```

<table>
  <thead>
    <tr>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td colspan="4"><p>Statistics taken from this site</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <th rowspan="3">2009</th>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>

```

Example 1.10

	Column Title	Column Title	Column Title	Column Title
2009	Row 1, Col 1	Row 1, Col 2	Row 1, Col 3	Row 1, Col 4
	Row 2, Col 1	Row 2, Col 2	Row 2, Col 3	Row 2, Col 4
	Row 3, Col 1	Row 3, Col 2	Row 3, Col 3	Row 3, Col 4
	Statistics taken from this site			

[All table examples](#)

```

<table>
  <thead>
    <tr>
      <th></th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td colspan="5"><p>Statistics taken from this site</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <th rowspan="3">2009</th>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>

```

2 more things

<caption>

```

<table>
  <caption>Table 1: A short description</caption>
  <thead>
    <tr>
      <th></th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
      <th>Column Title</th>
    </tr>
  </thead>
  <tfoot>
    <tr>
      <td colspan="5"><p>Statistics taken from this site</p></td>
    </tr>
  </tfoot>
  <tbody>
    <tr>
      <th rowspan="3">2009</th>
      <td><p>Row 1, Col 1</p></td>
      <td><p>Row 1, Col 2</p></td>
      <td><p>Row 1, Col 3</p></td>
      <td><p>Row 1, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 2, Col 1</p></td>
      <td><p>Row 2, Col 2</p></td>
      <td><p>Row 2, Col 3</p></td>
      <td><p>Row 2, Col 4</p></td>
    </tr>
    <tr>
      <td><p>Row 3, Col 1</p></td>
      <td><p>Row 3, Col 2</p></td>
      <td><p>Row 3, Col 3</p></td>
      <td><p>Row 3, Col 4</p></td>
    </tr>
  </tbody>
</table>

```

summary

```
<table summary="Shows the w, x, y, and z of the mating cycle of the mosquito in the US in 2009.">
```

```
  <caption>Table 1: A short description</caption>
```

```
  <thead>
```

```
    <tr>
```

```
      <th></th>
```

```
      <th>Column Title</th>
```

```
      <th>Column Title</th>
```

```
      <th>Column Title</th>
```

```
      <th>Column Title</th>
```

```
    </tr>
```

```
  </thead>
```

```
  <tfoot>
```

```
    <tr>
```

```
      <td colspan="5"><p>Statistics taken from this site</p></td>
```

```
    </tr>
```

```
  </tfoot>
```

```
  <tbody>
```

```
    <tr>
```

```
      <th rowspan="3">2009</th>
```

```
      <td><p>Row 1, Col 1</p></td>
```

```
      <td><p>Row 1, Col 2</p></td>
```

```
      <td><p>Row 1, Col 3</p></td>
```

```
      <td><p>Row 1, Col 4</p></td>
```

```
    </tr>
```

```
    <tr>
```

```
      <td><p>Row 2, Col 1</p></td>
```

```
      <td><p>Row 2, Col 2</p></td>
```

```
      <td><p>Row 2, Col 3</p></td>
```

```
      <td><p>Row 2, Col 4</p></td>
```

```
    </tr>
```

```
    <tr>
```

```
      <td><p>Row 3, Col 1</p></td>
```

```
      <td><p>Row 3, Col 2</p></td>
```

```
      <td><p>Row 3, Col 3</p></td>
```

```
      <td><p>Row 3, Col 4</p></td>
```

```
    </tr>
```

```
  </tbody>
```

Read about

scope, how abbr is used in tables,
colgroup, and rowgroup in
Chapter 8

GO!

Table Practice

In Summary

Images are creative commons licensed and
taken from <http://flickr.com>